

農業部公告

中華民國113年9月13日

農授防字第1131883658號

主 旨：修正「中華民國輸入植物或植物產品檢疫規定」乙、有條件輸入植物或植物產品之檢疫條件第一點第五十三項、第十點，並自中華民國一百十三年十二月一日生效。

依 據：「植物防疫檢疫法」第十四條第一項。

公告事項：修正「中華民國輸入植物或植物產品檢疫規定」乙、有條件輸入植物或植物產品之檢疫條件第一點第五十三項、第十點。

部 長 陳駿季

中華民國輸入植物或植物產品檢疫規定乙、有條件輸入植物或植物產品之檢疫條件第一點第五十三項、第十點修正規定

乙、有條件輸入植物或植物產品之檢疫條件

依據：植物防疫檢疫法第十四條第一項第二款規定。

一、植物或植物產品之名稱及其部位、國家或地區及其輸入檢疫條件如下表：

植物名稱及其部位	國 家 或 地 區	病 蟲 害 名 稱	檢 疫 條 件
53.下列繁殖用種子： (1) 西瓜 (<i>Citrullus lanatus</i>) (2) 甜瓜 (<i>Cucumis melo</i>) (3) 胡瓜 (<i>Cucumis sativus</i>)	亞洲及太平洋地區 (1) 澳大利亞 (2) 中國大陸 (3) 印度 (4) 伊朗 (5) 以色列 (6) 日本 (7) 黎巴嫩 (8) 南韓 (9) 泰國 (10) 土耳其 (11) 敘利亞 非洲 (12) 埃及 (13) 突尼西亞 歐洲 (14) 法國 (15) 希臘 (16) 義大利 (17) 荷蘭 (18) 挪威 (19) 西班牙 (20) 瑞典 (21) 斯洛維尼亞 (22) 英國 北美 (23) 加拿大 (24) 墨西哥 (25) 美國 中南美 (26) 巴西	甜瓜壞疽斑點病毒 (<i>Melon necrotic spot virus</i> , MNSV)	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明下列條件之一，否則銷燬或退運： 1. 輸出前經檢查且經實驗室以PCR檢測未染甜瓜壞疽斑點病毒。 2. 輸出前經乾熱70℃處理144小時，且經檢查未染甜瓜壞疽斑點病毒。

	(27) 智利 (28) 瓜地馬拉 (29) 宏都拉斯 (30) 巴拿馬 (31) 秘魯 (32) 烏拉圭		
--	--	--	--

十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。農業部動植物防疫檢疫署得對下列有害生物之上分類群（Taxa）有害生物採取檢疫處理措施。

病毒類（465 種）

Abutilon mosaic virus (AbMV) (*Geminiviridae*, *Begomovirus*)
Ageratum yellow vein virus (AYVV) (*Geminiviridae*, *Begomovirus*)
African cassava mosaic virus (ACMV) (*Geminiviridae*, *Begomovirus*)
Agropyron mosaic virus (AgMV) (*Potyviridae*, *Bymovirus*)
Alfalfa cryptic virus 1 (ACV-1) (*Partitiviridae*, *alphacryptovirus*)
Alfalfa enation virus
Alfalfa mosaic virus (AIMV) (*Bromoviridae*, *alfamovirus*)
Alsike clover vein mosaic virus
Alstroemeria mosaic virus (AIMV) (*Potyviridae*, *potyvirus*)
Amaranthus leaf mottle virus (AmLMV) (*Potyviridae*, *potyvirus*)
American plum line pattern virus (APLPV) (*Bromoviridae*, *Ilarvirus*)
Andean potato latent virus (APLV) (*Tymovirus*)
Andean potato mottle virus (APMoV) (*Comoviridae*, *Comovirus*)
Anthoxanthum latent blanching virus (ALBV) (*Hordeivirus*)
Anthriscus yellows virus (AYV) (*Sequiviridae*, *waikavirus*)
Apple chat fruit disease
Apple chlorotic leaf spot virus (ACLSV) (*Trichovirus*, *Flexiviridae*)
Apple dimple fruit viroid (ADFVd) (*Apscaviroid*, *Pospiviroidae*)
Apple mosaic virus (ApMV) (*Bromoviridae*, *Ilarvirus*)
Apple scar skin viroid (ASSVd) (*Pospiviroidae*, *Apscaviroid*)
Apple stem grooving virus (ASGV) (*Capillovirus*, *Flexiviridae*)
Apple stem pitting virus (ASPV) (*Foveavirus*, *Flexiviridae*)
Araujia mosaic virus (ArjMV) (*Potyviridae*, *potyvirus*)
Arracacha Virus A (AVA) (*Comoviridae*, *Nepovirus*)
Arracacha Virus B (AVB) (*Comoviridae*, *Nepovirus*)
Arracacha Virus Y (AVY) (*Potyviridae*, *potyvirus*)
Artichoke Italian latent virus (AILV) (*Comoviridae*, *nepovirus*)
Artichoke latent virus (ArLV) (*Potyviridae*, *potyvirus*)
Artichoke mottled crinkle virus (AMCV) (*Tombusviridae*, *Tombusvirus*)
Artichoke yellow ringspot virus (AYRSV) (*Comoviridae*, *Nepovirus*)
Asparagus virus 1 (AV-1) (*Potyviridae*, *potyvirus*)
Asparagus virus 2 (AV-2) (*Bromoviridae*, *ilarvirus*)

Asparagus virus 3 (AV-3) (Potexvirus)
Banana bunchy top virus (BBTV) (Nanovirus)
Barley mild mosaic virus (BaMMV) (Potyviridae, bymovirus)
Barley mosaic virus (BBV)
Barley yellow dwarf virus-GPV (BYDV-GPV) (Luteovirus)
Barley yellow mosaic virus (BaYMV) (Potyviridae, Bymovirus)
Barley yellow striate mosaic virus (BYSMV) (Rhabdoviridae, Cytorhabdovirus)
Bean calico mosaic virus (BCaMV) (Geminiviridae, Begomovirus)
Bean common mosaic virus (Potyviridae, potyvirus)
Bean golden mosaic virus (BGMV) (Geminiviridae, Begomovirus)
Bean leaf roll virus (BLRV) (Luteoviridae, luteovirus)
Bean mild mosaic virus (BMMV) (Tombusviridae, carmovirus)
Bean pod mottle virus (BPMV) (Comoviridae, comovirus)
Bean rugose mosaic virus (BRMV) (Comoviridae, comovirus)
Bean southern mosaic virus (SBMV) (sobemovirus)
Bean yellow vein banding virus (BYVBV) (Umbravirus)
Beet distortion mosaic virus
Beet mild yellowing virus (BMYV) (Luteoviridae, luteovirus)
Beet mosaic virus (BtMV) (Potyviridae, potyvirus)
Beet soil-borne virus (BSBV) (Pomovirus)
Beet western yellows virus (BWYV) (Luteoviridae, luteovirus)
Beet yellows virus (BYV) (Closteroviridae, closterovirus)
Beet yellow stunt virus (BYSV) (Closteroviridae, closterovirus)
Beet curly top virus (BCTV) (Geminiviridae, Curtomovirus)
Beet leaf curl virus (BLCV) (Rhabdoviridae)
Beet necrotic yellow vein virus (BNYVV) (Benyvirus)
Belladonna mottle virus (BeMV) (Tymovirus)
Bermuda grass etched-line virus (BELV) (Marafivirus)
Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)
Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)
Bidens mottle virus (BiMoV) (Potyviridae, potyvirus)
Black raspberry latent ilarvirus
Black raspberry necrosis virus (BRNV)
Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)
Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)
Blueberry necrotic shock virus (BlShV) (ilarvirus)
Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)

Blueberry scorch virus (BBScV) (carlavirus)
Blueberry shoestring virus (BSSV) (sobemovirus)
Broad bean B virus
Broad bean necrosis virus (BBNV) (Pomovirus)
Broad bean severe chlorosis virus (Closteroviridae, closterovirus)
Broad bean stain virus (BBSV) (Comoviridae, comovirus)
Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)
Broad bean wilt virus (BBWV) (Comoviridae, fabavirus)
Broad bean yellow ringspot virus
Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)
Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)
Brome mosaic virus (BMV) (Bromoviridae, bromovirus)
Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)
Burdock mosaic virus
Burdock mottle virus
Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)
Cacao necrosis virus (CNV) (Comoviridae, nepovirus)
Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)
Cacao yellow mosaic virus (CYMV) (Tymovirus)
Cactus virus (CV-2) (Carlavirus)
Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)
Caper latent virus (CapLV) (Carlavirus)
Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)
Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)
Carnation cryptic virus 1 (CCV-1) (Partitiviridae, alphacryptovirus)
Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)
Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)
Carnation latent virus (CLV) (Carlavirus)
Carnation mottle virus (CarMV) (Carmovirus)
Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)
Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)
Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)
Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)
Carrot mottle mimic virus (CmoMV) (Umbravirus)
Carrot mottle virus (CMoV) (Umbravirus)
Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)
Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)

Carrot temperate virus 2 (CteV-2) (*Partitiviridae*, *betacryptovirus*)
Carrot temperate virus 3 (CteV-3) (*Partitiviridae*, *alphacryptovirus*)
Carrot temperate virus 4 (CteV-4) (*Partitiviridae*, *alphacryptovirus*)
Carrot thin leaf virus (CTLV) (*Potyviridae*, *potyvirus*)
Cowpea chlorotic mottle virus (CCMV) (*Bromoviridae*, *Bromovirus*)
Cowpea golden mosaic virus (CPGMV) (*Geminiviridae*, *Begomovirus*)
Cowpea green vein-banding virus (CGVBV) (*Potyviridae*, *Potyvirus*)
Cowpea mosaic virus (CPMV) (*Comoviridae*, *Comovirus*)
Cowpea rugose mosaic virus (CPRMV) (*Potyviridae*, *Potyvirus*)
Cowpea severe mosaic virus (CPSMV) (*Comoviridae*, *Comovirus*)
Cowpea stunt virus (*Luteovirus*)
Cassava African mosaic virus (ACMV) (*Geminiviridae*, *bigeminivirus*)
Cassava green mottle virus (CaGMV) (*Comoviridae*, *nepovirus*)
Cassava Indian mosaic virus (ICMV) (*Geminiviridae*, *bigeminivirus*)
Cassava Ivorian bacilliform virus (CsIBV) (*Ourmiavirus*)
Cassava virus X (CsVX) (*Potexvirus*)
Cassia mosaic virus
Cassia ringspot virus
Cassia yellow blotch virus (CYBV) (*Bromoviridae*, *bromovirus*)
Cassia yellow spot virus (CasYSV) (*Potyviridae*, *potyvirus*)
Cauliflower mosaic virus (CaMV) (*Caulimoviridae*, *caulimovirus*)
Celery mosaic virus (CeMV) (*Potyviridae*, *potyvirus*)
Cereal northern mosaic virus (NCMV) (*cytorhabdovirus*)
Cassava brown streak virus (CsBSV) (*Potyviridae*, *Ipomovirus*)
Cassava common mosaic virus (CsCMV) (*Potexvirus*)
Cereal chlorotic mosaic virus (CCMoV) (*Rhabdoviridae*)
Cherry green ring mottle virus (CGRMV) (*Foveavirus*)
Cherry leaf roll virus (CLRV) (*Comoviridae*, *Nepovirus*)
Cherry mottle leaf virus (CMLV) (*Trichovirus*)
Cherry rasp leaf virus (CRLV) (*Comoviridae*, *Nepovirus*)
Cherry virus A (CVA) (*Capillovirus*)
Chickpea bushy dwarf virus (CpBDV) (*Potyviridae*, *potyvirus*)
Chickpea distortion mosaic virus (*Potyviridae*, *potyvirus*)
Chicory virus (ChVX) (*potexvirus*)
Chicory yellow mottle virus (ChYMV) (*Comoviridae*, *nepovirus*)
Chino del tomate virus (CdTV) (*Geminiviridae*, *bigeminivirus*)
Chloris striate mosaic virus (CSMV) (*Geminiviridae*, *monogeminivirus*)

Chrysanthemum virus B (CVB) (*Carlavirus*)
Citrus blight disease
Citrus leprosis virus (CiLV) (*Rhabdoviridae*)
Citrus yellow mosaic virus (CiYMV) (*Caulimoviridae*, *Badnavirus*)
Citrus leaf rugose virus (CiLRV) (*Rhabdoviridae*, *ilarvirus*)
Citrus ringspot virus
Citrus sudden death-associated virus (CSD- associated virus) (*Marafivirus*,
Tymoviridae)
Citrus variegation virus (CVV) (*Bromoviridae*, *ilarvirus*)
Clitoria yellow vein virus (CYVV) (*Tymovirus*)
Clover mild mosaic virus
Clover wound tumor virus (WTV) (*Phytoreovirus*)
Clover yellow mosaic virus (CIYMV) (*potexvirus*)
Clover yellows virus (CYV) (*Closteroviridae*, *closterovirus*)
Clover yellow vein virus (CIYVV) (*Potyviridae*, *potyvirus*)
Cocksfoot mottle virus (CoMV) (*Sobemovirus*)
Coconut foliar decay virus (CFDV) (*Nanavirus*)
Commelina diffusa virus (*Potyviridae*, *potyvirus*)
Commelina mosaic virus (ComMV) (*Potyviridae*, *potyvirus*)
Commelina virus X (ComVX) (*potexvirus*)
Commelina yellow mottle virus (ComYMV) (*Caulimoviridae*, *badnavirus*)
Cocksfoot mild mosaic virus (CoMV) (*Sobemovirus*)
Cocoa mottle leaf virus
Cocoa necrosis virus (CoNV) (*Comoviridae*, *Nepovirus*)
Cocoa swollen shoot virus (CSSV) (*Caulimoviridae*, *Badnavirus*)
Cocoa yellow mosaic virus
Colombian datura virus (CDV) (*Potyviridae*, *Potyvirus*)
Coriander feathery red vein virus (CFRVV) (*Rhabdoviridae*, *nucleorhabdovirus*)
Cotton leaf curl virus (CLCuV) (*Geminiviridae*, *Begomovirus*)
Cotton leaf crumple virus (CLCrV) (*Geminiviridae*, *bigeminivirus*)
Cowpea mild mottle virus (CPMMV) (*Carlavirus*)
Crimson clover latent virus (CCLV) (*Comoviridae*, *nepovirus*)
Crinum mosaic virus (CriMV) (*Potyviridae*, *potyvirus*)
Croton yellow vein mosaic virus (CYVMV) (*Geminiviridae*, *bigeminivirus*)
Cucumber green mottle mosaic virus (CGMMV) (*Tobamovirus*)
Cucumber leaf spot virus (CLSV) (*Tombusviridae*, *carmovirus*)
Cucumber mosaic virus subgroup II (CMV-II) (*Bromoviridae*, *Cucumovirus*)

Cucumber necrosis virus (CuNV) (*Tombusviridae*, *tombusvirus*)
Cucumber soil-borne virus (CuSBV) (*Tombusviridae*, *carmovirus*)
Cucumber vein yellowing virus (CVYV)
Cucurbit chlorotic yellows virus (CCYV) (*Closteroviridae*, *Crinivirus*)
Cycas necrotic stunt virus (CNSV) (*Comoviridae*, *nepovirus*)
Cymbidium ringspot virus (CymRSV) (*Tombusviridae*, *tombusvirus*)
Cynodon chlorotic streak virus
Cynosurus mottle virus (CnMoV) (*Sobemovirus*)
Dahlia mosaic virus (DMV) (*Caulimoviridae*, *caulimovirus*)
Dandelion latent virus (DaLV) (*Carlavirus*)
Dandelion yellow mosaic virus (DaYMV) (*Sequiviridae*, *sequivirus*)
Daphne virus X (DVX) (*Potexvirus*)
Daphne virus Y (DVY) (*Potyviridae*, *potyvirus*)
Datura Colombian virus (CDV) (*Potyviridae*, *potyvirus*)
Datura distortion mosaic virus (DDMV) (*Potyviridae*, *potyvirus*)
Datura necrosis virus (DNV) (*Potyviridae*, *potyvirus*)
Datura shoestring virus (DSTV) (*Potyviridae*, *potyvirus*)
Datura yellow vein virus (DYVV) (*Rhabdoviridae*, *nucleorhabdovirus*)
Datura distortion virus
Datura enation mosaic virus
Dendrobium mosaic virus (DeMV) (*Potyviridae*, *potyvirus*)
Desmodium mosaic virus (DesMV) (*Potyviridae*, *potyvirus*)
Desmodium yellow mottle virus (DYMV) (*Tymovirus*)
Digitaria streak virus (DSV) (*Geminiviridae*, *monogeminivirus*)
Digitaria striate mosaic (DiSMV) (*Geminiviridae*, *monogeminivirus*)
Dioscorea alata virus (*Potyviridae*, *potyvirus*)
Dioscorea bacilliform virus (DBV) (*Caulimoviridae*, *badnavirus*)
Dioscorea green banding mosaic virus (*Potyviridae*, *potyvirus*)
Dodonea yellows-associated virus
Dolichos yellow mosaic virus (DoMYV) (*Geminiviridae*, *bigeminivirus*)
Dulcamara mottle virus (DuMV) (*Tymovirus*)
Eggplant green mosaic virus (EGMV) (*Potyviridae*, *potyvirus*)
Eggplant mottled dwarf virus (EMDV) (*Rhabdoviridae*, *nucleorhabdovirus*)
Elderberry virus (EV) (*Carlavirus 1*)
Epirus cherry virus (EpCV) (*Ourmiavirus*)
Erysimum latent virus (ErLV) (*Tymovirus*)
Echinochloa ragged stunt virus (ERSV) (*Reoviridae*, *Oryzavirus*)

Elm mottle virus (EMoV) (*Bromoviridae*, *Ilarvirus*)
European wheat striate mosaic virus (EWSMV) (*Tenuivirus*)
Euphorbia mosaic virus (EuMV) (*Geminiviridae*, *bigeminivirus*)
Euphorbia ringspot virus (EuRV) (*Potyviridae*, *potyvirus*)
Faba bean necrotic yellows virus (FBNYV) (*Nanovirus*)
Festuca leaf streak virus (FLSV) (*Rhabdoviridae*, *cytorhabdovirus*)
Fig virus S (FVS) (*Carlavirus*)
Figwort mosaic virus (FMV) (*Caulimoviridae*, *caulimovirus*)
Foxtail mosaic virus (FoMV) (*Potexvirus*)
Frangipani mosaic virus (FrMV) (*Tobamovirus*)
French bean mosaic virus
Freesia leaf necrosis virus (FLNV) (*Varicosavirus*)
Freesia mosaic virus (FreMV) (*Potyviridae*, *Potyvirus*)
Galinsoga mosaic virus (GaMV) (*Tombusviridae*, *carmovirus*)
Glycine mosaic virus (GMV) (*Comoviridae*, *Comovirus*)
Grapevine Algerian latent virus (GALV) (*Tombusviridae*, *Tombusvirus*)
Grapevine asteroid mosaic virus
Grapevine berry inner necrosis virus (GINV) (*Trichovirus*)
Grapevine Bulgarian latent virus (GBLV) (*Comoviridae*, *Nepovirus*)
Grapevine chrome mosaic virus (GCMV) (*Comoviridae*, *Nepovirus*)
Grapevine leafroll-associated virus 1 (GLRAV-1) (*Closteroviridae*, *Ampelovirus*)
Grapevine stem pitting associated closterovirus (*Closteroviridae*, *Closterovirus*)
Grapevine Tunisian ringspot virus (GTRSV) (*Comoviridae*, *Nepovirus*)
Grapevine fanleaf virus (GFLV) (*Comoviridae*, *nepovirus*)
Grapevine fleck virus (GFkV)
Grapevine stunt virus
Grapevine vein necrosis virus
Grapevine virus A (GVA) (*Betaflexiviridae*, *Vitivirus*)
Grapevine virus B (GVB) (*Vitivirus*, *Flexiviridae*)
Grapevine yellow speckle viroid (GYSVd) (*Pospiviroidae*, *Apscaviroid*)
Groundnut chlorotic leaf streak virus
Groundnut chlorotic spotting virus
Groundnut rosette assistor virus (GRAV) (*Luteoviridae*, *Enamovirus*)
Groundnut rosette virus (GRV) (*Umbravirus*)
Groundnut eyespot virus (GEV) (*Potyviridae*, *Potyvirus*)
Guar symptomless virus (GSLV) (*Potyviridae*, *Potyvirus*)
Guar top necrosis virus

Guinea grass mosaic virus (GGMV) (*Potyviridae*, *Potyvirus*)
Helenium virus S (HVS) (*Carlavirus*)
Helenium virus Y (HVY) (*Potyviridae*, *Potyvirus*)
Henbane mosaic virus (HNV) (*Potyviridae*, *Potyvirus*)
Heracleum latent virus (HLV) (*Vitivirus*)
Hibiscus latent ringspot virus (HLRSV) (*Comoviridae*, *nepovirus*)
Hibiscus chlorotic ringspot virus (HCRSV) (*Tombusviridae*, *Carmovirus*)
Hippeastrum mosaic virus
Honeysuckle latent virus (LnLV) (*Carlavirus*)
Hop American latent (AHLV) (*Carlavirus*)
Hop latent virus (HpLV) (*Carlavirus*)
Hop mosaic virus (HpMV) (*Carlavirus*)
Hop trefoil cryptic virus 1 (HTCV-1) (*Partitiviridae*, *alphacryptovirus*)
Hop trefoil cryptic virus 2 (HTCV-2) (*Partitiviridae*, *betacryptovirus*)
Hop trefoil cryptic virus 3 (HTCV-3) (*Partitiviridae*, *alphacryptovirus*)
Hop stunt viroid (HpSVd) (*Hostuviroid*, *Pospiviroidae*)
Hordeum mosaic virus (HoMV) (*Potyviridae*, *Potyvirus*)
Humulus japonicus virus (HJV) (*Bromoviridae*, *ilarvirus*)
Hyacinth mosaic virus (HyaMV) (*Potyviridae*, *Potyvirus*)
Hydrangea mosaic virus (HdMV) (*Bromoviridae*, *ilarvirus*)
Hydrangea ringspot virus (HRSV) (*Potexvirus*)
Horsegram yellow mosaic virus (HgYMV) (*Geminiviridae*, *Begomovirus*)
Iris fulva mosaic virus (IFMV) (*Potyviridae*, *Potyvirus*)
Iris Japanese necrotic ring virus
Iris mild mosaic virus (IMMV) (*Potyviridae*, *Potyvirus*)
Iris severe mosaic virus (ISMV) (*Potyviridae*, *Potyvirus*)
Indian peanut clump virus (IPCV) (*Pechuvirus*)
Indonesian soybean dwarf virus (ISDV) (*Luteoviridae*, *Enamovirus*)
Iranian maize mosaic virus
Jatropha mosaic virus (JMV) (*Geminiviridae*, *bigeminivirus*)
Johnsongrass mosaic (JGMV) (*Potyviridae*, *Potyvirus*)
Kalanchoe isometric virus
Kalanchoe latent virus (KLV) (*Carlavirus*)
Kalanchoe top-spotting virus (KTSV) (*Caulimoviridae*, *badnavirus*)
Kennedya yellow mosaic virus (KYMV) (*Tymovirus*)
Kennedya virus Y (KVY) (*Potyviridae*, *Potyvirus*)
Kyuri green mottle mosaic virus (KGMMV) (*Tobamovirus*)

Konjac mosaic virus (KoMV) (Potyviridae, Potyvirus)
Kober stem grooving
Lamium mild mottle virus (LMMV) (Comoviridae, fabavirus)
Lato River virus (LRV) (Tombusviridae, tombusvirus)
Leek yellow stripe virus (LYSV) (Potyviridae, potyvirus)
Lettuce big-vein virus (LBVV) (Varicosavirus)
Lettuce mosaic virus (LMV) (Potyviridae, potyvirus)
Lettuce necrotic yellows virus (LNYV) (Rhabdoviridae, cytorhabdovirus)
Lettuce speckles mottle virus (LSMV) (Umbravirus)
Lilac chlorotic leafspot virus (LCLV) (Capillovirus)
Lilac mottle virus (LiMV) (Carlavirus)
Lilac ring mottle virus (LRMV) (Bromoviridae, ilarvirus)
Lily mottle virus (LMoV) (Potyviridae, potyvirus)
Lily virus X (LVX) (Potexvirus)
Lettuce infectious yellows virus (LIYV) (Closteroviridae, Crinivirus)
Limabean golden mosaic virus (LGMV) (Geminiviridae, Begomovirus)
Little cherry virus (LChV) (Closteroviridae, Closterovirus)
LN33 stem grooving
Lucerne Australian symptomless virus (LASV) (Comoviridae, Nepovirus)
Lucerne vein yellowing virus
Lucerne transient streak virus (LTSV) (Sobemovirus)
Lychnis ringspot virus (LRSV) (Hordeivirus)
Maclura mosaic virus (MacMV) (Potyviridae, macluravirus)
Maize chlorotic dwarf virus (MCDV) (Sequiviridae, waikavirus)
Maize chlorotic mottle virus (MCMV) (Tombusviridae, machlomovirus)
Maize dwarf mosaic virus (MDMV) (Potyviridae, potyvirus)
Maize line virus
Maize mosaic virus (MMV) (Rhabdoviridae, nucleorhabdovirus)
Maize rayado fino virus (MRFV) (Marafivirus)
Maize white line mosaic virus (MWLMV)
Maize mottle/chlorotic stunt virus
Maize rough dwarf virus (MRDV) (Reoviridae, Fijivirus)
Maize streak virus (MSV) (Genimiviridae, Mastrevirus)
Malvastrum mottle virus
Malva vein clearing virus (MVCV) (Potyviridae, potyvirus)
Marigold mottle virus (MaMoV) (Potyviridae, potyvirus)
Melandrium yellow fleck virus (MYFV) (Bromoviridae, bromovirus)

Melon leaf curl virus (MLCV) (*Geminiviridae*, *bigeminivirus*)
Melon Ourmia virus (OuMV) (*Ourmiavirus*)
Melon rugose mosaic virus (MRMV) (*Tymovirus*)
Milk vetch dwarf virus (MDV) (*Nanovirus*)
Mimosa mosaic virus
Mirabilis mosaic virus (MiMV) (*Caulimovirus*)
Miscanthus streak virus (MiSV) (*Geminiviridae*, *monogeminivirus*)
Mulberry latent virus (MLV) (*Carlavirus*)
Mulberry ringspot virus (MRSV) (*Comoviridae*, *nepovirus*)
Mung bean yellow mosaic virus (MYMV) (*Geminiviridae*, *bigeminivirus*)
Muskmelon vein necrosis virus (MuVNV) (*Carlavirus*)
Myrobalan latent ringspot virus (MLRSV) (*Comoviridae*, *nepovirus*)
Narcissus latent virus (NLV) (*Potyviridae*, *macluravirus*)
Narcissus mosaic virus (NMV) (*Potexvirus*)
Narcissus yellow stripe virus (*Potyviridae*, *potyvirus*)
Natsudaikai dwarf virus (NDV) (*Sadwavirus*)
Neckar River virus (NRV) (*Tombusviridae*, *tombusvirus*)
Nerine latent virus (NeLV) (*Carlavirus*)
Nerine virus (NV) (*Potyviridae*, *potyvirus*)
Nerine virus X (NVX) (*Potexvirus*)
Northern cereal mosaic virus (NCMV) (*Rhabdoviridae*, *Cytorhabdovirus*)
Oak ringspot virus
Oat blue dwarf virus (OBDV) (*Marafivirus*)
Oat golden stripe virus (OGSV) (*Furovirus*)
Oat mosaic virus (OMV) (*Potyviridae*, *bymovirus*)
Oat necrotic mottle virus (ONMV) (*Potyviridae*, *rymovirus*)
Oat red streak mosaic virus
Oat sterile dwarf virus (OSDV) (*Reoviridae*, *Fijivirus*)
Okra leaf-curl virus (OLCV) (*Geminivirus*, *bigeminivirus*)
Okra mosaic virus (OkMV) (*Tymovirus*)
Olive latent ringspot virus (OLRSV) (*Comoviridae*, *nepovirus*)
Ononis yellow mosaic virus (OYMV) (*Tymovirus*)
Opuntia Sammons' virus (SOV) (*Tobamovirus*)
Ornithogalum mosaic virus
Pangola stunt virus (PaSV) (*Reoviridae*, *Fijivirus*)
Panicum streak virus (PanSV) (*Geminiviridae*, *monogeminivirus*)
Papaya leaf curl virus (PaLCuV) (*Begomovirus*, *Geminiviridae*)

Papaya meleira virus (PMeV)
Papaya mosaic virus (PapMV) (*Potexvirus*, *Flexiviridae*)
Paprika mild mottle virus (PaMMV) (*Tobamovirus*)
Parietaria mottle virus (PmoV) (*Bromoviridae*, *ilarvirus*)
Parsnip leafcurl virus
Parsnip mosaic virus (ParMV)
Parsnip yellow fleck virus (PYFV) (*Sequiviridae*, *sequivirus*)
Paspalum striate mosaic virus (PSMV) (*Geminiviridae*, *monogeminivirus*)
Passiflora latent virus (PLV) (*Carlavirus*)
Passiflora South African virus (*Potyviridae*, *potyvirus*)
Passiflora ringspot virus (PFRSV) (*Potyviridae*, *potyvirus*)
Passionfruit woodiness virus (PWV) (*Potyviridae*, *potyvirus*)
Passionfruit yellow mosaic virus (PaYMV) (*Tymovirus*)
Patchouli mosaic virus (*Potyviridae*, *potyvirus*)
Pea early browning virus (PEBV) (*Tobravirus*)
Pea enation mosaic virus-1 (PEMV-1) (*Luteovirus*)
Pea enation mosaic virus-2 (PEMV-2) (*Umbravirus*)
Pea mild mosaic virus (PmiMV) (*Comoviridae*, *comovirus*)
Pea mosaic virus (*Potyviridae*, *potyvirus*)
Peanut chlorotic streak virus (PCSV) (*Caulimoviridae*, *caulimovirus*)
Peanut green mosaic virus (*Potyviridae*, *potyvirus*)
Peanut stunt virus (PSV) (*Bromoviridae*, *cucumovirus*)
Peanut yellow spot virus (PeYMV) (*Tospovirus*)
Peach American mosaic virus
Peach latent mosaic viroid (PLMVd)
Peach mosaic virus (PMV) (*Trichovirus*)
Peach rosette mosaic virus (PRMV) (*Comoviridae*, *Nepovirus*)
Peanut clump virus (PCV) (*Pecluvirus*)
Pear blister canker viroid (PBCVd) (*Pospiviroidae*, *Apscaviroid*)
Pear necrotic spot virus
Pineapple bacilliform virus (PBV) (*Badnavirus*, *Caulimoviridae*)
Pineapple mealybug wilt-associated virus-1 (PMWaV-1) (*Ampelovirus*, *Closteroviridae*)
Pineapple mealybug wilt-associated virus-2 (PMWaV-2) (*Ampelovirus*, *Closteroviridae*)
Plum American line pattern virus (APLPV) (*Ilarvirus*, *Bromoviridae*)
Plum bark split virus

Plum pox virus (PPV) (*Potyviridae*, *Potyvirus*)
Plum rusty blotch
Potato black ringspot virus (PBRSV) (*Comoviridae*, *Nepovirus*)
Potato deforming mosaic virus
Potato mop-top virus (PMTV) (*Pomovirus*)
Potato virus T (PVT) (*Trichovirus*)
Potato virus U (PVU) (*Comoviridae*, *Nepovirus*)
Potato virus V (PVV) (*Potyviridae*, *Potyvirus*)
Potato yellow dwarf virus (PYDV) (*Rhabdoviridae*, *Nucleorhabdovirus*)
Potato yellow vein virus (PYVV) (*Closteroviridae*, *Crinivirus*)
Potato yellowing virus
Prune dwarf virus (PDV) (*Bromoviridae*, *Ilarvirus*)
Prunus necrotic ringspot virus (PNRSV) (*Bromoviridae*, *Ilarvirus*)
Raspberry leaf curl virus
Raspberry ringspot virus (RpRSV) (*Comoviridae*, *Nepovirus*)
Red clover mottle virus (RCMV) (*Comoviridae*, *Comovirus*)
Rice gall dwarf virus (RGDV) (*Reoviridae*, *Phytoreovirus*)
Rice tungro bacilliform virus (RTBV) (*Caulimoviridae*, *Rice tungro bacilliform-like virus*)
Rice tungro spherical virus (RTSV) (*Sequiviridae*, *Waikavirus*)
Rice yellow mottle virus (RYMV) (*Sobemovirus*)
Rupestris stem pitting-associated virus (Foveavirus, *Flexiviridae*)
Squash leaf curl virus (SLCV) (*Geminiviridae*, *Begomovirus*)
Squash mosaic virus (SqMV) (*Comoviridae*, *Comovirus*)
Strawberry latent ringspot virus (SLRSV) (*Sadwavirus*)
Strawberry veinbanding virus (SVBV) (*Caulimoviridae*, *Caulimovirus*)
Sugarcane yellow leaf virus (ScYLV) (*Polerovirus*, *Luteoviridae*)
Tobacco rattle virus (TRV) (*Tobravirus*)
Tobacco ringspot virus (TRSV) (*Comoviridae*, *Nepovirus*)
Tobacco mosaic virus (TMV) (*Tobamovirus*)
Tobacco necrosis virus
Tobacco streak virus (TSV) (*Ilarvirus*, *Bromoviridae*)
Tomato black ring virus (TBRV) (*Comoviridae*, *Nepovirus*)
Tomato bushy stunt virus (TBSV) (*Tombusvirus*, *Tombusviridae*)
Tomato mottle virus (ToMoV) (*Geminiviridae*, *Begomovirus*)
Tomato ringspot virus (ToRSV) (*Comoviridae*, *Nepovirus*)
Tulare apple mosaic virus (TAMV) (*Ilarvirus*, *Bromoviridae*)

Tulip breaking virus

Ullucus virus C (UVC) (*Comoviridae, comovirus*)

Ullucus mild mottle virus (UMMV) (*Tobamovirus*)

Ullucus mosaic virus (UMV) (*Potyviridae, potyvirus*)

Urd bean leaf crinkle virus

Vallota mosaic virus (ValMV) (*Potyviridae, potyvirus*)

Vanilla mosaic virus (VanMV) (*Potyviridae, potyvirus*)

Vanilla necrosis virus (*Potyviridae, potyvirus*)

Velvet tobacco mottle virus (VTMoV) (*Sobemovirus*)

Viola mottle virus (VMV) (*Potexvirus*)

Voandzeia distortion mosaic virus (*Potyviridae, potyvirus*)

Voandzeia necrotic mosaic virus (VNMV) (*Tymovirus*)

Watercress yellow spot virus (WYSV)

Watermelon chlorotic stunt virus (WmCSV) (*Geminiviridae, bigeminivirus*)

Watermelon curly mottle virus (WmCMV) (*Geminiviridae, bigeminivirus*)

Watermelon mosaic virus 2 (WMV-2) (*Potyviridae, potyvirus*)

Wheat American striate mosaic virus (WASMV) (*Rhabdovirus, ucleorhabdovirus*)

Wheat yellow leaf virus (WYLV) (*Closteroviridae, Closterovirus*)

Wheat dwarf virus (WDV) (*Geminiviridae, monogeminivirus*)

Wheat soil-borne mosaic virus (SBWMV) (*Furovirus*)

Wheat streak mosaic virus (WSMV) (*Potyviridae, rymovirus*)

Wheat spindle streak mosaic virus (WSSMV) (*Potyvirida, bymovirus*)

Wheat yellow mosaic virus (WYMV) (*Potyviridae, bymovirus*)

White clover mosaic virus (WCIMV) (*Potexvirus*)

Wild cucumber mosaic virus (WCMV) (*Tymovirus*)

Wild potato mosaic (WPMV) (*Potyviridae, Potyvirus*)

Wineberry latent virus (WLV)

Wisteria vein mosaic virus (WVMV) (*Potyviridae, Potyvirus*)

Yam mosaic virus (YMV) (*Potyviridae, Potyvirus*)

Zucchini yellow fleck virus (ZYFV) (*Potyviridae, Potyvirus*)

備註：以上病毒之媒介有害生物亦一併列入管制